

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 20.01.2024

Revision: 20.01.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name: **Ceral 34, Ceral 34sc, Ceral 114**

· Article number: No other identifiers

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture: Metal surface treatment

· Uses advised against: No further relevant information available.

· 1.3 Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

CeralUSA, LLC

7002 S. Bryant Ave.

Oklahoma City, OK 73149

Phone 405-455-7720

Fax 405-622-4090



· 1.4 Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Classifications listed are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H412.

Skin Corr. 1C H314 Causes severe skin burns and eye damage.

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Muta. 1B H340 May cause genetic defects.

Carc. 1A H350 May cause cancer.

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

· Labeling according to Regulation (EC) No 1272/2008

The product is additionally classified and labeled according to the Globally Harmonized System within the United States (GHS).

The product is classified and labeled according to the CLP regulation.

(Cont'd. on page 2)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Trade name: Ceral 34, Ceral 114

(Cont'd. from page 1)

· **Hazard pictograms**



GHS05 GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

phosphoric acid, reaction products with aluminum hydroxide and chromium oxide (CrO₃)

· **Hazard statements**

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H412.

H314 Causes severe skin burns and eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H340 May cause genetic defects.

H350 May cause cancer.

H361 Suspected of damaging fertility or the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

· **Precautionary statements**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe mist/vapours/spray.

P284 In case of inadequate ventilation wear respiratory protection.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P363 Wash contaminated clothing before reuse.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Additional information:**

Restricted to professional users.

· **2.3 Other hazards** There are no other hazards not otherwise classified that have been identified.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

(Cont'd. on page 3)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Trade name: Ceral 34, Ceral 114




(Cont'd. from page 2)

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components:

CAS: 7429-90-5 EINECS: 231-072-3 Reg.nr.: 01-2119529243-45-XXXX	aluminum substance with a Community workplace exposure limit	< 50%
CAS: 7732-18-5 EINECS: 231-791-2	water	< 50%
CAS: 92203-02-6	phosphoric acid, reaction products with aluminum hydroxide and chromium oxide (CrO ₃)  Resp. Sens. 1, H334; Muta. 1B, H340; Repr. 2, H361; STOT RE 1, H372  Skin Corr. 1C, H314  Skin Sens. 1, H317 Aquatic Chronic 3, H412	< 20%

Additional information:

For the wording of the listed Hazard Statements refer to section 16.

For the listed ingredient(s), the identity and/or exact percentages are being withheld as a trade secret.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

Take affected persons out into the fresh air.

After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

After skin contact:

Immediately rinse with water.

If skin irritation or rash occurs: Get medical advice/attention.

Seek immediate medical help for blistering or open wounds.

After eye contact:

Protect unharmed eye.

Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

(Cont'd. on page 4)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Trade name: Ceral 34, Ceral 114

(Cont'd. from page 3)

Do not induce vomiting; call for medical help immediately.

· **4.2 Most important symptoms and effects, both acute and delayed**

Headache
Breathing difficulty
Coughing
Allergic reactions
Caustic effect on skin and mucous membranes.
Gastric or intestinal disorders when ingested.
Nausea in case of ingestion.

· **Hazards:**

Danger of gastric perforation.
Suspected of causing genetic defects.
May cause cancer.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Suspected of damaging fertility or the unborn child.
May cause damage to organs through prolonged or repeated exposure.

· **4.3 Indication of any immediate medical attention and special treatment needed**

Medical supervision for at least 48 hours.
In cases of irritation to the lungs, initial treatment with cortical steroid inhalants.
If necessary oxygen respiration treatment.
Later observation for pneumonia and pulmonary oedema.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:**

The product is not flammable.
Use fire extinguishing methods suitable to surrounding conditions.

· **For safety reasons unsuitable extinguishing agents:** None.

· **5.2 Special hazards arising from the substance or mixture**

During heating or in case of fire poisonous gases are produced.

· **5.3 Advice for firefighters**

· **Protective equipment:**

Wear self-contained respiratory protective device.
Wear fully protective suit.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.
Ensure adequate ventilation
Wear protective equipment. Keep unprotected persons away.

· **6.2 Environmental precautions**

Do not allow to enter sewers/ surface or ground water.
Inform respective authorities in case of seepage into water course or sewage system.

(Cont'd. on page 5)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Trade name: Ceral 34, Ceral 114

(Cont'd. from page 4)

- **6.3 Methods and material for containment and cleaning up**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Send for recovery or disposal in suitable receptacles.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Use only in well ventilated areas.
Avoid breathing mist/vapours/spray.
Avoid contact with the eyes and skin.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:**
Store away from foodstuffs.
Do not store together with alkalis (caustic solutions).
Store away from reducing agents.
Store away from metals.
Store away from oxidising agents.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· **Ingredients with limit values that require monitoring at the workplace:**

7429-90-5 aluminum

PEL (USA)	Long-term value: 15*; 15** mg/m ³ *Total dust; ** Respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m ³ as Al*Total dust**Respirable/pyro powd./welding f.
TLV (USA)	Long-term value: 1* mg/m ³ as Al; *as respirable fraction
EL (Canada)	Long-term value: 1,0 mg/m ³ respirable, as Al
EV (Canada)	Long-term value: 5 mg/m ³ aluminium-containing (as aluminium)

- **DNELs:** No further relevant information available.

(Cont'd. on page 6)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Trade name: Ceral 34, Ceral 114

(Cont'd. from page 5)

- **PNECs:** No further relevant information available.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures are to be adhered to when handling chemicals.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Do not inhale gases / fumes / aerosols.
Avoid contact with the eyes and skin.
Pregnant women should strictly avoid inhalation or ingestion.
- **Respiratory protection:**
Use suitable respiratory protective device when aerosol or mist is formed.
For large spills, respiratory protection may be advisable.
Use suitable respiratory protective device in case of insufficient ventilation.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Material of gloves**
PVC gloves
Nitrile rubber, NBR Butyl rubber, BR Fluorocarbon rubber (Viton)
- **Not suitable are gloves made of the following materials:**
Neoprene gloves
PVA gloves
- **Eye protection:**



Safety glasses

- Follow relevant national guidelines concerning the use of protective eyewear.
- **Body protection:** Acid resistant protective clothing
- **Limitation and supervision of exposure into the environment:** Avoid release to the environment.
- **Risk management measures:** See Section 7 for additional information.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **Appearance**

Form:	Viscous liquid.
Colour:	Dark green

(Cont'd. on page 7)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Trade name: Ceral 34, Ceral 114

(Cont'd. from page 6)

· Odour:	Acrid
· Odour threshold:	Not determined.
· pH-value at 20 °C (68 °F):	1,8-2,2
· Melting point/Melting range:	<0 °C (<32 °F)
· Boiling point/Boiling range:	>100 °C (>212 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Auto/Self-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density:	
Relative density:	1,65-1,75
Vapour density:	Not determined.
Evaporation rate:	Not determined.
· Solubility in / Miscibility with water:	Dispersible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity	
Dynamic at 20 °C (68 °F):	14-17 cPs (Zahn Cup Value 2)
Kinematic:	Not determined.
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions**
Reacts with reducing agents.
Reacts with alkali (lyes).
Reacts with alcohols.
Reacts with amines.
Reacts with certain metals.
- **10.4 Conditions to avoid** No further relevant information available.

(Cont'd. on page 8)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Trade name: Ceral 34, Ceral 114

(Cont'd. from page 7)

- **10.5 Incompatible materials** Alkalies
- **10.6 Hazardous decomposition products**
Phosphorus oxides (e.g. P₂O₅)
Toxic metal compounds

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.
- **LD/LC50 values relevant for classification:** None.
- **Primary irritant effect**
- **Skin corrosion/irritation:**
Causes severe skin burns and eye damage.
- **Serious eye damage/irritation:**
Causes severe skin burns and eye damage.
- **Respiratory or skin sensitisation:**
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.
- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer):
--

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

- **Probable routes of exposure:**
Inhalation
Eye contact.
Skin contact.
- **Acute effects (acute toxicity, irritation and corrosivity):** Causes severe skin burns and eye damage.
- **Repeated dose toxicity:** Repeated exposures may result in skin and/or respiratory sensitivity.
- **Germ cell mutagenicity:**
May cause genetic defects.
- **Carcinogenicity:**
May cause cancer.
- **Reproductive toxicity:**
Suspected of damaging fertility or the unborn child.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:**
Causes damage to organs through prolonged or repeated exposure.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

(Cont'd. on page 9)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Trade name: Ceral 34, Ceral 114

(Cont'd. from page 8)

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** Harmful to aquatic life with long lasting effects.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**
Do not allow product to reach ground water, water course or sewage system.
Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- | | |
|---|--|
| <ul style="list-style-type: none"> · 14.1 UN-Number · DOT, ADR, IMDG, IATA | <p>UN3264</p> |
| <ul style="list-style-type: none"> · 14.2 UN proper shipping name · DOT, IATA | <p>Corrosive liquid, acidic, inorganic, n.o.s. (Phosphoric acid, reaction products with aluminum hydroxide and chromium oxide (CrO₃))</p> |
| <ul style="list-style-type: none"> · ADR, IMDG | <p>CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphoric acid, reaction products with aluminum hydroxide and chromium oxide (CrO₃))</p> |

(Cont'd. on page 10)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Trade name: Ceral 34, Ceral 114

(Cont'd. from page 9)

· **14.3 Transport hazard class(es)**

· **DOT**



· **Class** 8 Corrosive substances.
· **Label** 8

· **ADR**



· **Class** 8 (C1) Corrosive substances.
· **Label** 8

· **IMDG, IATA**



· **Class** 8 Corrosive substances.
· **Label** 8

· **14.4 Packing group**

· **DOT, ADR, IMDG, IATA** III

· **14.5 Environmental hazards:**

· **Marine pollutant:** No

· **14.6 Special precautions for user**

· **Danger code (Kemler):** Warning: Corrosive substances.
· **EMS Number:** 80
· **Segregation groups:** F-A, S-B
Acids

· **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

· **Transport/Additional information:**

· **DOT**



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L.

(Cont'd. on page 11)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Trade name: Ceral 34, Ceral 114

(Cont'd. from page 10)

· **ADR**



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L.

· **IMDG**



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L.

· **IATA**



Limited Quantity for packages less than 30 kg gross and inner packagings less than 1 L.

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- United States (USA)
- SARA

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

92203-02-6 | phosphoric acid, reaction products with aluminum hydroxide and chromium oxide (CrO3)

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Proposition 65 (California):**

· **Chemicals known to cause cancer:**

92203-02-6 | phosphoric acid, reaction products with aluminum hydroxide and chromium oxide (CrO3)

· **Chemicals known to cause reproductive toxicity for females:**

92203-02-6 | phosphoric acid, reaction products with aluminum hydroxide and chromium oxide (CrO3)

· **Chemicals known to cause reproductive toxicity for males:**

92203-02-6 | phosphoric acid, reaction products with aluminum hydroxide and chromium oxide (CrO3)

· **Chemicals known to cause developmental toxicity:**

92203-02-6 | phosphoric acid, reaction products with aluminum hydroxide and chromium oxide (CrO3)

· **Carcinogenic Categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients are listed.

(Cont'd. on page 12)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Trade name: Ceral 34, Ceral 114

(Cont'd. from page 11)

· **IARC (International Agency for Research on Cancer)**

None of the ingredients are listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

· **Canadian Domestic Substances List (DSL)**

All ingredients are listed on the DSL or NDSL.

· **Other regulations, limitations and prohibitive regulations**

· **Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients are listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H340 May cause genetic defects.

H361 Suspected of damaging fertility or the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

· **Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

LDLo: Lowest Lethal Dose Observed

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Resp. Sens. 1: Respiratory sensitisation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Muta. 1B: Germ cell mutagenicity – Category 1B

Carc. 1A: Carcinogenicity – Category 1A

Repr. 2: Reproductive toxicity – Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

(Cont'd. on page 13)

Safety Data Sheet
according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Trade name: Ceral 34, Ceral 114

(Cont'd. from page 12)

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com